

**Proposed Methodology  
for  
Accreditation of Artificial Insemination  
Training Institutes**

**CONTENTS**

**INDEX PARTICULARS PAGE**

**No**

Abbreviations 03

Foreword 04

1 Accreditation of AITIs 05

1.1 Accreditation process – Flow Chart 06

1.2 List of Documents 07

1.3 Terms & Conditions of Accreditation 07

Annex-I Minimum Standards for AI Training and Institutes 08

Annex-II Format for Application for accreditation 19

Annex-III Format for Evaluation by the Accreditation Authority

20

Annex-IV Format for Accreditation certificate 21

Annex-V Annual return by the AI Training Institute 22

Annex-VI Summary of progress report of the AI Training

Institute

23

Annex-VII Application form for renewal of accreditation 24

Accreditation of AI Training Institutes Page 3

AI: Artificial Insemination

## **Abbreviations**

AIT – Artificial Insemination Technician

AITI: Artificial Insemination Training Institute

DADF: Department of Animal Husbandry, Dairying and Fisheries

FSD- Frozen Semen Dose

GoI: Government of India

ICT: Information Communication Technology

LN- Liquid Nitrogen

MS- Minimum Standards

PD- Pregnancy Diagnosis

T &C – Terms and Conditions

Accreditation of AI Training Institutes Page 4

## Foreword

Artificial Insemination Training Institutes (AITI) operate under the umbrella of State Governments, Cooperatives, NDDDB, NGOs and private agencies across the country. As AI training is one of the most important tools for delivery of AI services to the dairy farmers in the country, the quality of training imparted by AITI is essential in order to produce technicians with desired skill and competencies to undertake artificial insemination services successfully.

Quality of AI training varies across the organizations due to absence of a standard protocol and a mechanism to ensure its effective implementation by the training institutes. The training institutes differ in the following parameters while delivering AI training:

- Duration of classroom & field training
- Faculty - qualification & experience
- Facility for classroom and field training
- Hands on training on live animals
- Learning resources (teaching aids & training materials)
- Infrastructures and facility for board & lodging

In order to minimize the existing discrepancies across AITIs, a set of standards needs to be put in place and followed consistently by all AITIs in the country. This document proposes the minimum standards for an AITI and also the process of accreditation of AITIs.

### **Objective of Accreditation:**

Accreditation will assist-

- Maintenance of quality and uniformity in AI training provided by various AITIs across the country.
- Meeting increasing demand for skilled Artificial Insemination Technicians (AITs) in the country.

## 1. Accreditation of AITIs

The process of accreditation includes a series of relevant sequential steps which an AITI seeking accreditation has to follow in order to get accredited by the Accreditation Authority. The steps include the following which are also showcased in the form of a flow diagram as mentioned in 1.1 in the ensuing points.

1. Submission of Application (Annex II) along with the required documents as prescribed below at point 1.2.
2. Verification of documents by the Accreditation Authority against prescribed Minimum Standards for AITI by DADF, GoI (Annex I).
3. Communication by the Accreditation Authority on either acceptance or rejection of the application with reasons.
4. In case application is accepted, the application is further processed for a visit of the Accreditation Authority to the AITI.
5. If application is rejected, the applicant may re-apply after complying to the reasons mentioned in the rejection letter.
6. Award of Accreditation certificate (Annex VII) by the Accreditation Authority with the terms and conditions (T&C) of accreditation for a **period of two years**.
7. For renewal of Accreditation, the AITI has to apply as per Annex VII and Accreditation Authority will follow the same procedure as followed for fresh accreditation.
8. Once accreditation is obtained, the AITI has to comply with the Minimum Standards for AITIs and follow the same consistently. The AITI must respond to any queries of Accreditation authority as and when asked.

## 1.1: Accreditation process- Flow Chart

### Flow Diagram, Accreditation Process

Submission of application with required documents

Verification of documents by Accreditation Authority

Communication on rejection with reasons

Rejection of

Application

Acceptance of

Application

Communication on

rejection with reasons

Recommendation

for accreditation

Visit of Accreditation Authority

for evaluation as per Minimum

Standards for AITI

Repetition of above said

procedures for renewal of

Accreditation

Application for renewal of Accreditation

Award of Accreditation

Certificate for 2 years

Compliance with

T&C

Accreditation of AI Training Institutes Page 7

## **1.2: List of Documents:**

The documents on the following particulars need to be attached alongwith the application for accreditation

- 1) Mission & Objective of AI training Institute
- 2) Memorandum of Article / Bylaws of the Organisation/AI training Institute, as applicable
- 3) Details of Infrastructure (Office, Classroom, Board & Lodging, etc.)
- 4) Learning resources
- 5) Facilities available for practical and on the job field training on animals
- 6) Details of training programmes, duration, course curriculum, training schedule, evaluation process
- 7) Details of training faculties
- 8) Minimum qualifications for admission to AI training
- 9) Copies of records maintained by the AITI
- 10) Progress for the last two years

## **1.3: T & C for Accreditation:**

- 1) All the accredited AITIs must strictly follow the Minimum Standards for AITIs as prescribed by DADF, GoI during the tenure of the accreditation.
- 2) Accreditation is valid for a maximum period of 2 years from the date of issue.
- 3) In case the AITI is found not adhering to the Minimum Standards of AITIs, it is liable for cancellation of the Accreditation.
- 4) The institute has to apply for a renewal in the prescribed format three months before the expiry of Accreditation.
- 5) After award of accreditation, the AITI has to regularly submit annual return and progress report to the Accreditation Authority in the prescribed format (Annex V and VI) within one month of close of the financial year failing which the accreditation may be cancelled.

# **Minimum Standards for Artificial Insemination Training Institutes**

**(As per the Curriculum for Basic AI Training  
and**

**Minimum Infrastructural Facilities  
at AI Training Institutes, circulated by  
DADF, GoI with few modifications)**

Accreditation of AI Training Institutes Page 9

## **Training of AI Technicians**

Every AI technician needs to have a certificate of AI training from a recognised AI training institute.

Each AI Training Institution needs to:

- (a) Follow the standard curriculum and duration for class room and practical training as described in Part I below;
- (b) Have arrangements for class rooms with teaching aids and hands on training in palpating morbid reproductive organs in the laboratory and in live animals and carrying out artificial insemination as laid down in Part II below;
- (c) Have arrangements with AI Service providing organisations to provide practical training to its trainees for the duration approved, and
- (d) Have a registered veterinary practitioner under whose supervision the institute imparts training.

### **Part I**

#### **Curriculum for AI technician training**

##### **A. Class Room**

1. Different breeds of cows and buffaloes and their production and reproduction parameters
2. Conservation and development of indigenous breeds through selective breeding.
3. Benefits of Crossbreeding and genetic improvement of dairy animals
4. State Breeding Policies and their enforcement specific to the state to which trainee batch belong to
5. Introduction to AI, history of AI, NS vs AI, advantages and limitations

6. External and internal body parts of a dairy animal and their function

7. Male reproductive organs & their functions

8. Semen, its collection, evaluation, processing, preservation

- different types of semen packing,
- structure of mini and medium straws
- information printed on straw and its importance
- Breed wise Straw color codes

9. Female reproductive organs & their functions

10. Estrus cycle & heat :

- Internal and external symptoms at different stages of heat cycle
- Correct time of insemination
- Determinants of first AI in heifers
- Methods of heat detection in cattle and buffaloes

11. Normal reproductive cycle

12. Puberty, Maturity, Breeding, Fertilization, Implantation, Gestation, Calving

13. Ideal calving cycle

- Service period, dry period and Inter-calving period

14. Process of insemination:

- i. Collecting History
- ii. Standard Operating Procedure (SOP)

15. Importance of:

- i. Proper method of semen withdrawal from container
- ii. Proper thawing
- iii. Proper preparation of AI gun
- iv. Proper site of semen deposition
- v. Care of animal during & after insemination

16. AI equipment and accessories & their care

17. Liquid nitrogen handling:

- I. Structure of LN container
- II. Handling & care of LN container
- III. Precaution in handling of LN
- IV. Different models of LN containers
- V. Importance of maintaining cold chain and LN refilling schedule.

VI. Proper LN level in container & its checking. Evaporation rates and refilling interval of commonly used containers in the field under normal working conditions.

VII. LN conservation measures

18. Pregnancy Diagnosis

19. Methods of calculating conception rates and factors affecting conception rates

20. Method of drying of animals on completion of 7<sup>th</sup> month pregnancy.

21. Common reproductive disorders/ diseases, repeat breeding, causes of abortion, etc.

22. Measures to obtain maximum fertility

23. Ear tagging , importance of record keeping

24. Recording formats and submission of records into the INAPH application (offline & online versions) through

PDA/Netbook/Desktop (training in data entry with dummy data on test server, different flash messages, saving the data, synchronization of data with the server and using action reports in day to day work.

25. Starting an AI centre

26. Method of non-surgical castration

27. Care and management of new born calf and heifers till it becomes pregnant at farmers perception.

28. Care and management of Dry Pregnant animals

29. Care and management of animals before and after calving, precautions at the time of calving and use of naval kit for disinfection of naval cord

30. Importance of Animal housing and general management in getting full expression of genetic capability

31. Importance of bio-security measures to be adopted during AI.

32. Economically important diseases and their prevention through timely vaccination; various available vaccines; vaccination schedules; importance of maintaining cold chain

33. Basic aspects of nutrition and concept of Ration Balancing

34. Importance of proper nutrition including feeding of vitamins and mineral mixtures and deworming in fertility management with emphasis on the adverse impact of macro and

micronutrients deficiencies on fertility status/reproductive health of animal

35. Fodder - varieties, cultivation practices; preservation (hay & silage preparation) and enrichment of straw. Densification and enrichment of fodder.

36. Taking AI as a self employed enterprise

37. Importance of Animal Insurance; various insurance schemes

38. Various government schemes in the area of animal breeding

39. Role of Information and Communication Technology (ICT) in artificial insemination programme for bovines.

## **B. Case Studies**

1. Advantages of AI over natural service.

2. Advantages of following SOP for AIT-better conception rate and its impact over a period of five years.

3. Record keeping and using INAPH.

4. Extension activities related to animal husbandry (activities on Breeding, Health and Nutrition).

5. A farmer coming to AI Worker with an animal for insemination with following history of oestrus:

- a) 3<sup>rd</sup> day after heat,
- b) On the day of full moon
- c) Just on the time of starting of heat
- d) Animal with pustular/watery/bloody vaginal discharge.
- e) Gestational heat
- f) Post partum heat after one month of calving.
- g) Heifer in heat with lower body weight.

6. Care of young calves till its pregnancy.

7. Effect/impact of good AI technician Vs inefficient AI technician.

8. Superstitious believes Vs Scientific method of breeding.

## **C. Audio Visual materials**

1) Animal reproduction and AI

2) Changing lives

3) DO and DONOT of AI

4) Hygienic milk and milk product processing and packaging

5) Year round fodder production

6) Animal health care (Diagnostics for control and eradication of

Accreditation of AI Training Institutes Page 13

diseases – FMD, HS, PPR, and avian diseases)

- 7) Improving quality and utilization of poor quality roughages
- 8) Mineral mixture for increased animal productivity
- 9) Organic farming for sustainability and profitability

#### **D. Practical**

1. Identification of different female reproductive organs on morbid genitalia
2. Palpation of female genitalia in a Phantom box and passing of AI gun
3. Structure of LN container
  - different models
  - handling & care
  - checking LN level
4. AI equipment & accessories
  - handling & care including sterilisation
5. Palpation of female genitalia in live animal
6. Passing of AI gun in live animals
7. Demonstration of
  - proper method for withdrawal of straw from containers
  - proper thawing procedure
  - proper preparation of gun
  - correct site of semen deposition
8. Pregnancy diagnosis at 90 days & beyond
9. Ear tagging
10. Record keeping and INAPH

#### **E. Study visits**

Study visits to any of the following places as deemed appropriate for the AI training Institutes

- AI Centre
- Cattle Feed Factory(optional)
- Dairy Farm
- Exhibitions and Krishimela/Pashumela (optional)
- Semen Station
- Dairy processing plant
- Fodder farm/Demonstration farms

## **F. Duration of training**

### **i. AI basic training:**

Class room training along with practical training: 45 days

Practical training in the field with AI service provider: 75 days

### **ii. AI refresher training:**

Classroom and Practical training -- 5 days

## **G. Faculty profile and requirement (for a batch size of 30 trainees)**

### **1. Veterinary Officers:**

Minimum two Veterinarians are required with educational qualification of BVSc & AH and 3 years of work experience in AI, Breeding, Health and Management of Cows and Buffaloes along with experience in providing on the job practical training and delivery of lectures.

### **2. Support Staff:**

Minimum one support staff is required with graduation in any discipline

## **H. Participant profile**

### **1. AI Basic Training:**

The participant of this programme should have at least passed in 10<sup>th</sup> standard examination with not less than 18 years of age.

### **2. AI Refresher Training:**

The participant of this programme should be a practicing AI technician having at least 1 year relevant work experience and should have undergone AI Basic training. The minimum age requirement of participant is 19 years.

**I. Tests during Training:**

Class Room Training:

- Fortnightly written test on topics covered.
- Final written test at the end.
- Final practical test to evaluate the skills learnt

**J. Pass marks:**

- Minimum three theoretical tests and one practical test may be conducted.
- Minimum 50% in each of the test including the final tests.

**Part 2**  
**Facilities at AI Training Institute**

**1. Class room facilities:**

For a batch of 30 trainees, there should be a class room having minimum of 600 square feet area. If there are more than 30 trainees, there should be an additional class of 600 square feet area.

Besides class rooms, there should be a laboratory having minimum 500 square feet area for practical classes. This laboratory should have facility to store reproductive organs and keep different models of animals and reproductive organs and space to keep semen and liquid nitrogen storage containers.

Besides, there should be a library having at least 400 square feet area and two administrative office rooms each having 300 square feet area.

**2. Teaching aids**

The class room must have minimum the following:

- Adequate chairs and tables for trainees
- White board
- LCD Projector
- Computer
- Charts
- Charts and Models of reproductive organs
- Phantom box

The centre must have the required semen and LN storage containers, AI guns, and required AI accessories.

Reproductive organs must be obtained from a nearby slaughter house for palpation and passing a gun.

Ear tags and ear tag applicators

Measuring tape for estimation of body weight

ICT aids (Computer, note books or PDAs, printers etc.,

### **3. Animal housing facilities for practical training**

For practice, the centre should have minimum one animal for six students.

The centre may have its own animals for practical classes or tie up with nearby Gaushala or Panjarapol or slaughter house for practical training. Every trainee must pass AI gun in at least 20 animals during entire period of class room training.

If the centre has its own animals, there should be a proper shed, a Trevis /an AI crate and a godown to store feeding material. Animals should be replaced every six months.

### **4. Lodging and boarding facilities for trainees**

The centre should have proper residential facilities for trainees including kitchen and minimum recreational facilities. Or

The AI training Institutes may outsource the board and lodging facilities to an external agency through a formal agreement for at least a period of two years. The copy of the formal agreement should be kept for record for requirement at the time of Accreditation process.

### **5. Understanding with AI service providing organisations for practical training**

The Centre should have some formal arrangement with AI service providing organisations for its trainees to receive apprenticeship training for 75 days.

During practical training each trainee should do minimum 75-100 AIs and the same numbers of P.D.s. The AI Centers having such work performance should be selected for apprenticeship training. The trainer of A.I. Technician should have enough experience (3 to 5 years) to impart practical training to trainee A.I. Technicians.

Trainees should also get opportunities to address farmers meetings to develop confidence and do extension activity effectively.

#### **6. Records/Documents for a AI training Institute**

- 1) Trainees' records of registration
- 2) Trainees' daily attendance record
- 3) Records of successfully completed trainees
- 4) Summary of feedback obtained from trainees
- 5) Annual progress report / Training Brochure(optional)

**The prescribed format of application for accreditation**

Date:

To be addressed to  
Accreditation Authority

**Subject: Award of Accreditation for AI Training Institute**

Dear Sir,

We would like to get our AI training centre accredited for Artificial Insemination training in bovine. We believe that our institute meets the Minimum Standards for Artificial Insemination Training Institutes as prescribed by DADF, GoI. The essential documents required for accreditation are enclosed. We also furnish below the particulars of our training centre.

<b>PARTICULARS</b>	<b>DESCRIPTION</b>
Name of the Training Institute ( Applicant)	
Organisation with which the training centre is Affiliated	
Year of Establishment	
Detailed Address	
Telephone Nos	
Fax	
Email Id	
Website if any	
Head of the Training Unit with E mail Id & Mob no	
Contact Person besides the Head	
Details of the Persons/AI technicians trained by the centre during the <b>last two years</b>	( to be produced separately)

We request you to kindly arrange to accreditate our institute at the earliest.

Yours faithfully  
Head of the AI training Institution

**Format for Evaluation by the Accreditation Authority**

Each criterion is to be evaluated against the details as given in the Minimum Standards for AITI by DADF, GoI.

Sr. No.	Evaluation Criteria	Re commendations
1	Well designed course curriculum for Basic AI & Refresher AI training	
2	Optimum Training Duration	
3	Evaluation process for trainee during training	
4	Learning Resources (Teaching Aids/Training Materials)	
5	Arrangements for Practical & Field training	
6	Facility for Board & Lodging	
7	Faculty profile and Requirement	
8	Eligibility of Participants	
9	Maintenance of Records	

**YES NO Remarks**

**Format of Accreditation Certificate**  
Logo of Accreditation Authority  
**Full name of Accreditation Authority**  
with address

**Accreditation No:**

**Date:**

***CERIFICATE OF ACCREDITATION***

**This is to certify that \_\_\_\_\_ ( name of the training Institute) is Accredited as an Artificial Insemination Training Institute for Bovines for a period of two years from \_\_\_\_\_ ( beginning date ) to \_\_\_\_\_ ( expiry date) subject to the terms and conditions of Accreditation.**

Signature (Accreditation Authority)

Signed on : \_\_\_\_\_ ( date)

**Annual Return by the AI Training Institute:**

(for the Year \_\_\_\_\_)

1. Accreditation No: \_\_\_\_\_ Date of Issue: \_\_\_\_\_
2. Name of the holder of Certificate of Accreditation: \_\_\_\_\_
3. Address of Holder of Certificate: \_\_\_\_\_
4. Names and qualifications of faculty members: \_\_\_\_\_
5. Number of AI Technicians trained: \_\_\_\_\_
8. List of AI Technicians trained: \_\_\_\_\_

Sr. No	Name of AI Technician granted certificate	Permanent address	Name of AI Service provider
1			
2			

We certify that all AI technicians trained by us have passed the final examination in the course and have undergone the practical training as prescribed by the Authority to perform artificial insemination in bovines. We also certify that all information provided above is true.

Place:

Date:

Head of AI Training Institute

**Summary of the progress Report of the AI Training Institute**

**Year:**

**Sl No PARTICULARS DESCRIPTION**

**TRAINING PROGRAMME** Current year Last year

1 Total AI training programmes conducted

1a. AI Basic

1b AI Refresher

2 Total Trainees trained

2a AI Basic

2b AI Refresher

**7 ALTERATION IN INFRASTRUCTURE & FACILITIES**

7a New facilities created for AI training

7b Innovations, if any

**OTHERS PARAMETERS**

12 Any special achievement obtained by the training institute, please specify

Place: Date:

Head of Training Institute  
Signature

**Application form for Renewal of Accreditation**

Date:

To be addressed to  
Accreditation Authority

**Subject: Renewal of Accreditation for AI Training Institute**

Dear Sir,

We would like to renew the accreditation of our Artificial Insemination training Institute for a period of two more years. The existing accreditation is scheduled to expire on \_\_\_\_\_ (date). The required documents are enclosed herewith for your kind information and necessary action. The particulars of our training centre are furnished below:

<b>PARTICULARS</b>	<b>DESCRIPTION</b>
Name of the Training Institute ( Applicant)	
Organisation with which the training centre is affiliated	
Year of Establishment	
Detailed Address	
Telephone Nos	
Fax	
Email Id	
Website if any	
Head of the Training Unit with E mail Id & Mobile no.	
Contact Person besides the Head	
Details of the Persons/AI technicians trained by the centre during the <b>last two years</b>	( to be produced separately)

We request you to kindly arrange to renew the accreditation of our institute for a further period of two years at the earliest.

Yours faithfully

Head of the AI training Institute

Encl: List of documents

**List of Documents :**

The documents on the following particulars need to be attached along with the application for renewal of accreditation

- 1) Copy of the last accreditation certificate.
- 2) Other documents as mentioned at point no. 1.2.
- 3) Progress report of the training Institute for last two years.

\*\*\*\*\*

# Minimum Standards and Standard Operating Procedures For Artificial Insemination

MS and SOP for AI| GoI

## Minimum Standards and Standard Operating Procedures for Artificial Insemination Services

### **Preamble**

As average breeding values of bulls used for artificial insemination are much higher than those for natural service, rapid genetic progress is achieved when one uses AI. Moreover, compared to natural service, while using AI, there is much less risk of transmission of venereal diseases and animals having detrimental recessive traits. Besides, AI is economical.

Proficient delivery of AI by service providers and AI technicians is judged by conception rates they achieve. To achieve maximum conception rates, it is necessary to follow certain essential protocols for delivering AI Services.

Focus has to be on: genetic merit of bulls used; source and quality of semen used; maintenance of quality in transit, transfer, and storage; following correct technique in inseminating an animal; animal identification and

complete follow up of each AI for pregnancy and calving etc. Failure to adhere to the protocols could lead to poor conception rate, and poor quality of new born animal.

This document provides detailed guidelines on standard operating procedures to be followed and minimum standards to be maintained for providing AI services to farmers.

### **1. AI Services at farmers' doorstep**

The Minimum Standards aim at Quality AI Delivery at Farmers' Doorstep. AI services provided by a service provider shall be delivered preferably at the farmers' door step through Mobile AI Technicians located at strategic and logistically convenient locations. AI services should be provided to farmers in all villages and hamlets coming under the ambit of an AI Centre.

### **2. Breeding Policy**

The AI service provider shall ensure that the AI technicians follow the breeding policy of the State and gather information relevant to breeding goals envisaged in the breeding policy.

MS and SOP for AI | GoI

### **3. Quality of frozen semen**

Frozen semen shall be from frozen semen stations which have been following the minimum standards laid down by the Government of India for semen production and processing and graded "A" or "B" by the Central Monitoring Unit of GoI.

### **4. Semen storage and distribution**

AI Service Providers should:

I. Store frozen semen doses in a well-ventilated, all weather safe storage area.

II. Ensure a proper and foolproof identification system for each semen container, canister, and goblet so that a bull's semen can be traced with ease.

III. While transferring semen doses, goblets should be well identified and precaution should be taken to see that each goblet has sufficient space for liquid nitrogen. Frozen semen should not be exposed above liquid nitrogen as it may cause irreversible damage to sperm viability.

IV. All transfers of semen straws into goblets should take place under liquid nitrogen, in a polystyrene / thermocole box.

V. Liquid Nitrogen should be replenished in both storage and distribution containers at regular intervals to ensure proper level of liquid nitrogen

VI. Details of semen doses supplied to various AI technicians at the time of dispatch should be recorded. After each dispatch, records redefining the position of remaining doses should be updated.

### **5. Liquid Nitrogen procurement, storage & delivery**

Service provider shall have a bulk Liquid Nitrogen (LN) sourcing, storage and delivery facility.

A schedule of LN replenishment to all AI centres on fortnightly / monthly / quarterly basis, whichever is convenient depending on the field containers shall be worked out by each service provider and shall be adhered to in the interest of maintaining quality of semen. A log book shall be maintained for all such schedules at different locations/ starting points of supply routes.

The AI centre should have a bigger container for LN and FSD storage,

preferably of 35 litre capacity, and a small portable LN container, preferably 2-3 litre capacity, to carry the FSDs to the place where the AI is carried out. The LN containers in the AI centre shall be protected sufficiently to avoid MS and SOP for AI| GoI

damage to container. AI centre should have a dip stick with critical level marks and a ready reckoner for assessing the LN levels and quantity of LN in litres. Supply of LN should be either through portable LN tankers of 500 to 2000 litre capacity with gravitational flow or through the LN delivery pump and not by pouring LN from one container to another container.

#### **6. AI guns, sheaths and AI accessories**

Stainless steel AI guns from an agency whose AI guns are tested and approved by the testing stations identified by GoI shall be used for AI. AI sheath shall be from an agency whose AI sheaths are tested and approved by the testing stations identified by GoI.

AI accessories like forceps and scissors shall be made of good quality stainless steel. Thermos flask and thermometer shall be of good quality.

#### **7. Engagement of trained AI Technicians**

AI Service providers should ensure that they engage only those AI technicians who have undergone a training course in AI from a government recognised AI training institute and collect a copy of their training certificate at the time of appointment.

#### **8. Standard Operating Procedures for AI Delivery**

The Standard Operating Procedures that should be followed by AI technicians in carrying out AI and handling semen doses is given at Annex A. AI services providers should ensure that every AI technician has a copy of this SOP and he keeps it with him for reference whenever he goes for insemination work.

#### **9. Animal Identification**

Every animal receiving AI shall be identified with an Ear Tag with a unique number and a barcode. These numbers shall enable generation of reports concerned to the individual animal and the associated information through an information system.

Only polyurethane laser printed ear tags having a 12 digit number and a bar code shall be used. The numbering system followed shall be unique with the last digit of the number being a “check digit” to ensure that no two animals are tagged with the same number. Only numbers supplied by an agency identified by DADF shall be used for unique identification of animals. MS and SOP for AI| GoI

#### **Figure. 1: Ear Tag**

#### **Figure. 2: Ear Tag Applicator**

The specifications for the ear tag shall be: The male tag as a button shall be with a minimum diameter of 27 mm with a metal point and the flag shaped female tag with a closed head with a minimum size of 55 x 65 mm. 12 digits are to be printed in two rows of six digits each.

The ear tag shall be applied inside the ear of animals, in the center of the ear lobe with the female part of the tag inside the ear.

#### **Figure. 3: Ear Tagged animal**

#### **10. Complete follow up of all AI for pregnancy and calf birth**

The service provider shall ensure 100% follow up of all AIs done by each AI technician. It is desirable to track AIs till calving and record all data related

to pregnancy and calving including sex of new born calves. It is also important to generate relevant information and disseminate it to all concerned for monitoring and evaluation of AI services at all levels.

MS and SOP for AI| Gol

### **11. Conception Rate**

Quarterly / annual targets for conception rate for cattle and buffaloes shall be fixed for each AI technician, depending on the breedable animal population in his ambit and age of the AI centre. Conception rates shall be calculated on First AI as well as on Overall AI basis for cattle, buffaloes and combined for both cattle and buffaloes at an individual animal level, supervisor level, regional level and for the organisation. Optimum targets for first AI conception shall be about 50% with ideal services per conception less than 2 AIs per pregnancy.

### **12. Supervision, Review of Activities and Communication**

There shall be a hierarchy of supervisory mechanism. Every 20 AI technicians should have an AI supervisor. Every 60-65 AI centres should have a veterinarian to provide advisory services. A team of 200 AI technicians, 10 supervisors and 3 veterinarians shall form a region controlled by a Regional Officer. An effective communication network shall be in place for communication among the team members in a given area. AI technicians, supervisors and veterinary officers of an area shall meet once in a month for a review of technical programme, business transactions as well as for scheduling the extension programmes. There shall be a monthly review meeting at regional level involving Regional Officer, veterinary officers and AI supervisors. Effective supervision is reflected in the accuracy of reporting, fixing the problems faced efficiently and effectively, acceptance of progress records by the system, promptness in business transactions and minimum backlogs.

### **13. AI Cost Calculations and Recovery**

Service provider shall work out the cost of AI delivery at farmers' doorstep (and the collateral services of follow up visits for PD and calving as well as for advisory services) on monthly/quarterly/annual basis. A model AI Cost calculation is provided at Annex B. Every AI Service Provider should work out their cost of providing AI service and decide on charging for AI services.

MS and SOP for AI| Gol

### **Annex A**

### **Standard Operating Procedures for Artificial Insemination and Semen Handling**

#### **General:**

1. Keep the premises of the AI Centre clean and maintain all equipment, material and furniture properly.
2. Always keep the mobile phone available to respond to calls made by the farmers. In case there is likelihood of any delay, inform the farmer about expected time of visit.
3. Keep the breeding kit clean and before leaving the AI centre, check that the breeding kit has the following items:
  - Scissors
  - Thermometer/thaw monitor
  - Thawing Tray
  - Forceps

- Sheaths with sheath container
  - AI Gun with container
  - Plastic gloves
  - Lubricant
  - Isopropyl alcohol/ surgical spirit
  - Tissue papers
  - Clean towel
  - Thermos-flask with hot water
  - Tags, pins and tag applicator
  - Apron
4. Be at the centre on the scheduled day and time of semen and liquid nitrogen delivery.
  5. Promote AI services of the service provider in the assigned area.
  6. Follow the tasks assigned from time to time by the supervisor /Area Officer.
  7. While going for AI, always wear the uniform given by the service provider.

MS and SOP for AI| Gol

### **Semen handling:**

1. Keep the liquid Nitrogen container in a location that allows easy withdrawal of semen doses & replenishment of semen and liquid nitrogen. The surrounding should be well ventilated, dry and dust free.
2. Clean AI gun, scissors and other accessories whenever they get soiled or at least once a week with hot water and air dry them. Sanitize the AI gun and the scissor with Isopropyl alcohol after drying. The AI Gun piston and the scissors should be wiped clean with water after each insemination. Surgical spirit and soaps are lethal to semen, hence should not be used to clean equipments.
3. Maintain the liquid nitrogen level above the straw level in the portable container.
4. Measure the liquid nitrogen level of 35 litre containers weekly with the help of measuring scale provided. Maintain the record of measurements to monitor the evaporation rate of containers.
5. Carry the required semen doses in the portable liquid nitrogen container to farmer's door step. Never carry semen straws in pocket/ thermos-flask / polythene bags filled with water/ice etc.
6. Maintain an accurate semen inventory to lessen the risk of semen exposure.

### **Insemination Technique:**

1. After reaching farmer's place, first identify the animal, take the history of animal reported in heat from farmer and check past-breeding records.
2. Examine the animal externally and ascertain that animal is in heat. The best signs of heat are: clear, transparent, viscous and ropy vaginal discharge; swollen and congested vulva; hypersensitivity; increased activities/movement and mounting behaviour; frequent urination; bellowing; drop in milk yield etc. If external signs are not sufficient animal should be examined for uterine tone, etc., before insemination
3. Proceed with preparation of gun only when sure of heat.
4. Wash hands.

5. Have plastic gloves, sheath, gun, scissors, forceps, tissue paper, and clean towel ready before thawing semen.  
MS and SOP for AI| GoI
6. Pour hot water from flask in the thawing tray and adjust temperature of water in the tray to 35 to 37 degree centigrade by adding cold or hot water.
7. Remove the semen straw from the container with forceps and not with hands. Before holding the straw by the forceps, cool its tips for few seconds. While taking out, raise the canister just high enough - not above the frost line. Remove the straw within 10 seconds.
8. Give a gentle jerk to the straw first to remove excess LN and quickly plunge it into thawing tray containing warm water at 35 to 37 degree centigrade for 20 to 30 seconds in the horizontal position.
9. Ensure that insemination gun and sheath also have temperature of around 37 degrees centigrade and not extremely hot or cold.
10. Take out straw from the tray and wipe the straw with clean towel. Note the bull number and batch number written on the straw.
11. Before loading the straw onto the gun, ascertain that air space in the straw is at the laboratory seal end.
12. Load the semen straw onto the gun and cut the straw at a right angle with a straight and sharp scissors just below the laboratory seal.
13. Take out the sheath by holding bottom of the sheath through a small hole at the corner of the sheath packet and place the sheath on the gun and secure the sheath firmly with o-ring lock. To ensure better hygiene, use individually packed sheaths instead of sheaths available in bulk packing.
14. Wear shoulder length plastic glove, preferably on left hand and hold the gun with right hand.
15. Ask the farmer to restrain the animal and hold the tail properly. Speak to the animal and make her calm down.
16. Lubricate the glove with the lubricant and lubricate the anus with gloved hand.
17. Gently put the gloved hand into the rectum by forming a cone with fingers. Clean the rectum by removing the faecal material.
18. Clean vulva with water and wipe with tissue paper.
19. Ask farmer to help spread the vulva.
20. Never allow gun's tip to touch external coat of the animal.  
MS and SOP for AI| GoI
21. Insert insemination gun at approximately 30 degree angle till the gun reaches the fornix vagina to avoid entry of the gun into the urethral opening.
22. Hold the cervix firmly through rectum and slightly stretch it forward to unfold the vaginal folds.
23. Gently and smoothly pass the gun through the vagina to the opening of the cervical canal. Place cervix onto the gun, apply slight forward pressure on gun while manipulating the cervix slightly ahead of the gun.
24. Hold the external os of the cervix ahead of the gun's tip and negotiate vaginal folds and cervical rings to pass the gun through the cervix till the gun's tip reaches at internal os. Remember the process of passing

the gun through vagina and cervix is the most difficult and delicate facet of insemination technique and perfection comes with practice and experience only, hence do not be impatient.

25. Feel the tip of the gun at internal os by gently moving the gun tip forward to ensure that the gun is in correct place (just at the entrance of the body of the uterus). Be certain the gun tip is not caught in a thin area between cervical rings or vaginal folds.
26. If the animal moves, STOP. Wait till the movement stops.
27. Hold the shoulder of the gun between your ring and middle fingers and push the gun piston with your thumb slowly (5 seconds) to deposit the semen at the entrance of the body of the uterus to allow semen to drain into the body of uterus. Gently remove the gun and check for abnormal discharge and a complete semen deposit.
28. Recheck semen ID – bull and batch number.
29. Properly dispose off the sheath, gloves and tissue papers. Clean the gun if needed.
30. Record breeding information in the specified format provided. Enter details of AI in PDA, if PDA is in use.
31. Blood on the gun tip and on the gloves indicate that too much force was used to pass the gun – be gentle and patient with the animal.
32. Ask farmer to release the animal and let her calm down.

#### **Post Insemination Advice to Farmers**

1. Ask farmer to keep the animal under observation for next 12-24 hrs. MS and SOP for AI| Gol
2. If signs of heat persist even after 18-24 hrs, call for a repeat AI, otherwise observe for heat symptoms after 18-21 days and also after 36-42 days.
3. If animal does not repeat heat at 18-21 days intervals for two consecutive times, call AI Technician for pregnancy diagnosis after 2-3 months from the date of insemination.
4. Keep body of the animal cool by keeping animal in the shed and sprinkling water, if required.
5. If an animal does not conceive even after three consecutive AIs, farmer should be advised to get the animal examined by a veterinarian and follow his advice.

#### **Post insemination follow-up:**

1. Follow each and every animal inseminated after around 21 days to find out whether it has repeated.
2. Follow each and every animal inseminated for pregnancy diagnosis after 2-3 months and record the date and result of pregnancy diagnosis in the format provided and send it to the Area Office on a monthly basis. Enter details of PD in PDA, if PDA is in use.
3. During pregnancy diagnosis, corroborate the findings with date of insemination and in case of mismatch or otherwise also, ask farmer about the post AI events to know whether animal remained in heat for a long period or came again in heat after the insemination. If yes, after how many days? And whether farmer availed AI services of some other service provider or arranged natural service during the same or subsequent heat.
4. Follow each and every pregnant animal and record calving details of the

animals inseminated in the format provided. Enter details of calving in PDA, if PDA is in use.

5. Maintain all records related to artificial insemination, pregnancy diagnosis, and calving and money transaction.

6. Advise farmers on proper heat detection, feeding, management and healthcare of animals as suggested by the experts. Also advise on the care and management of animal during advance pregnancy and after calving, including care and management of new born calves.

MS and SOP for AI| GoI

### ***Annex B***

#### **COST OF ARTIFICIAL INSEMINATION**

The following expenditure items may be considered while arriving at AI cost:

A.

1. Direct material:

*Variable Cost*

Cost of semen doses, sheaths, gloves, lubricant, etc.

2. Direct labour:

Salary/Retainership/Commission/incentives to AI Technicians

3. Direct Overhead:

Cost of liquid nitrogen used, cost of distribution of semen & liquid nitrogen

*Total Variable Cost (1 to 3)*

B.

1. Staff salary

*Fixed Cost*

2. Administrative cost – Stationery, Telephone, Propulsion charges, uniform, AI kit etc.

3. Cost of promotion and extension

4. Cost of identification and ICT

5. Interest

6. Depreciation

*Total Fixed Cost (1 to 6)*

*Total Cost = Variable Cost + Fixed Cost = (A+B)*